

MATERIAL NUMBER 1.4542 · CLASS 1.4

# AISI630

Material no. 1.4542

also listed as X5CrNiCuNb16-4


Chemical composition, mechanical and physical property values, and 48 standard designations from 6 regions.

|                             |                                              |                                      |
|-----------------------------|----------------------------------------------|--------------------------------------|
| DENSITY<br><b>7.8</b> g/cm³ | OTHER DESIGNATIONS<br><b>48</b> in 6 regions | PROPERTY VALUES<br><b>10</b> on file |
|-----------------------------|----------------------------------------------|--------------------------------------|


Chemical composition

Mass fraction in %

What this alloy is



Logarithmic scale, 0.01 % to 100 % — every value here compares directly, decade by decade.



The scale is logarithmic, not the element's raw share of the alloy — the only honest way to fit 0.01 % and 100 % in one picture, and it means every value here can be compared with every other.

## Predicted transformation temperatures

This grade's composition falls outside the published model's validated range (a low-alloy composition window), so no transformation temperature is predicted here.

Mechanical properties

4 values across 2 conditions

| SOLUTION ANNEALED                         |             |             | HB     |
|-------------------------------------------|-------------|-------------|--------|
| Solution annealed                         |             |             | 360    |
| CONDITION · DIMENSION                     | RM<br>N/mm² | RE<br>N/mm² | A<br>% |
| Casting Precipitation hardening treatment | 850–1240    | 665–1030    | 6–10   |

Physical properties

1 values

| PROPERTY | VALUE | UNIT  |
|----------|-------|-------|
| Density  | 7.8   | g/cm³ |

Designations across standards

48 designations · 9 documented as identical

| United States  |                       | 22       | France                     |                       | 8     |
|----------------|-----------------------|----------|----------------------------|-----------------------|-------|
| S17400         | This grade's own name | uns      | 17-4 DP                    |                       | afnor |
| 17-4 PH        | This grade's own name | aisi-sae | 174 PH                     |                       | afnor |
| 630            |                       | aisi-sae | X17U4                      |                       | afnor |
| AISI630        | This grade's own name | aisi-sae | Z67CNU15.05                |                       | afnor |
| S17400         |                       | aisi-sae | Z6CNU1704                  |                       | afnor |
| 17-4 PH        |                       | astm     | Z7CNU15-05                 | This grade's own name | afnor |
| A 484          |                       | astm     | Z7CNU16-04                 |                       | afnor |
| A 564          |                       | astm     | Z7CNU17-04                 | This grade's own name | afnor |
| A 564 630      | This grade's own name | astm     |                            |                       |       |
| A 564 T 630    |                       | astm     | United States / Aerospace6 |                       |       |
| A 693          |                       | astm     | 5604                       |                       | ams   |
| A1028          |                       | astm     | 5622                       |                       | ams   |
| A56            |                       | astm     | 5642                       |                       | ams   |
| A564 Grade 630 |                       | astm     | 5643                       |                       | ams   |
| A564 Type 630  |                       | astm     | 5825                       |                       | ams   |
| A705           |                       | astm     | 5827                       |                       | ams   |
| A982           |                       | astm     |                            |                       |       |
| F593           |                       | astm     | Russia / CIS6              |                       |       |
| F594           |                       | astm     | 05Ch16N4D2B                |                       | gost  |
| F738           |                       | astm     | 05X16H4Д2Б                 |                       | gost  |
| F836           |                       | astm     | 07Ch14N4DB                 |                       | gost  |
| F899           |                       | astm     | 07Ch16N4D4B-Sh             |                       | gost  |
|                |                       |          | 07X14H4ДБ                  |                       | gost  |
|                |                       |          | 07X16H4Д4Б-Ш               |                       | gost  |
|                |                       |          | Japan4                     |                       |       |
|                |                       |          | SCS 24                     | This grade's own name | jis   |
|                |                       |          | SUS 630                    | This grade's own name | jis   |
|                |                       |          | SUS 630FB                  |                       | jis   |
|                |                       |          | SUS F 630                  |                       | jis   |

|                                                   |        |
|---------------------------------------------------|--------|
| Europe                                            | 2      |
| 1.4542                                            | din-en |
| X5CrNiCuNb16-4 <span>This grade's own name</span> | din-en |

**Note on use.** The data is compiled to the best of our knowledge from publicly available standards and manufacturer documentation. It replaces neither material testing nor an inspection document to EN 10204. Please request a mill certificate to EN 10204 2.1, 3.1 or 3.2 together with your enquiry. The standard in its current valid edition always prevails.

### Enquiry about AISI630

Quotation, availability, mill certificate or a technical question — directly on the material page.

[Start an enquiry](#)

| DATASHEET ONLINE                       | GRADE SEARCH                      | MATERIAL NO. | ISSUED       |
|----------------------------------------|-----------------------------------|--------------|--------------|
| <a href="#">View the material page</a> | <a href="#">Search all grades</a> | 1.4542       | Aug 20, 2026 |